

American Aldes provides all the accessories you need to complete your ventilation system. These components are engineered to work with American Aldes ventilation products for optional appearance and performance.

Roof Caps

High-Performance Roof Caps

- Minimize noise and pressure resistance.
- Removes moisture and condensation from the duct system.
- Low-profile, low-pressure design.
- All roof caps have backdraft dampers and removable screens
- They can be installed on any roof pitch or shingling.
- Available in 4", 5", 6", 8", 10", and 12" sizes.
- Heavy-gauge galvanized steel, stainless steel, copper, or aluminum design available.

Round Aluminum Roof Caps


- Ideal vent-duct terminations for sloped or flat-roof penetrations.
- Impervious to weather intrusion, highly durable, and corrosion resistant.
- Eliminates the need for curbs on most flat-roof applications.
- Available in 4", 6", 8", 10", and 12" sizes.
- Optional 12" extensions are available for high snow-load areas.
- Cap includes a removable bird screen.



Wall Hoods

High-Performance Wall Hoods

- Designed to maximize airflow and minimize noise.
- Screened Wall Hoods are suitable for use in exhaust ventilation or dryer venting systems.
- Available with screens or dampers.
- Wall hoods with dampers feature magnetic closures to avoid flapping in the wind.
- Available in 4", 5", 6", 8", 10", and 12" sizes.
- Heavy-gauge galvanized steel, stainless steel, or copper design available.



Specialty Exhaust Hoods & Vents

Universal Wall/ Soffit Exhaust Vent

- The wall or soffit position is obtained by twisting the sleeve element.
- Available in 6" size.
- · Heavy-gauge galvanized steel material.

Insulated Vent Hoods

- Features a double-wall construction with a 1/2" duct liner.
- Available in 6" size.
- Optional filter is available.
- Made of heavy-gauge galvanized steel.



Exhaust/ Supply Vent

- Available in 5" or 6" diameters.
- Made of heavy-gauge galvanized steel with a white plastic cap.
- Cap includes a bird screen.



Register Boxes

RB-CFB-II & RB-CFS-II

- Ceiling-mount radiant damper box with side take-off collar.
- Accomodates a self-regulating Constant Airflow Regulator (CAR-II).
- 3-hour rated ceiling radiant fire damper is included.
- Extended duct collar allows for attachment of flexible or rigid duct.
- Constructed of heavy-gauge galvanized steel.



RB-WB-II & RB-WS-II

- Wall-mount register box with side take-off collar.
- Accomodates a self-regulating Constant Airflow Regulator (CAR-II).
- Extended duct collar allows for attachment of flexible or rigid duct.
- Constructed of heavy-gauge galvanized steel.



- Ceiling-mount register box with side take-off collar.
- Accomodates a self-regulating Constant Airflow Regulator (CAR-II).
- Extended duct collar allows for attachment of flexible or rigid duct.
- Constructed of heavy-gauge galvanized steel.





Grilles

Algrilles

- Used for supply or exhaust.
- Durable design and simple to install.
- Adjustable rotating center cone that allows for variable ventilation capacity.
- Available in 3", 4", 5", 6", and 8" sizes.
- Made of HB UL rated white poly-plastic.



Deco Grilles

- Decoratively styled white plastic grille.
- Alternative to standard grilles.
- Available in 3", 4", and 5" sizes.



Standard Plastic Filter Grille

- Used for supply or exhaust.
- The 6" grille has a washable polyester filter.
- Available in 6" size.
- Made of white poly-plastic.



Grilles for Register Boxes

- Flush-mount exhaust/supply grilles used with CERB and RB Series Register Boxes.
- Available sizes: 8" x 4", 6" x 6", 8" x 8", and 10" x 10".
- Filters available.



www.aldes.us

To find out more about Ventilation Accessories and other related products visit www.aldes.us/roof-caps-wall-hoods-grilles-duct-fittings

Distributed By:









American ALDES Ventilation Corporation 4521 19th Street Court East, Suite 104 - Bradenton, FL 34203 USA Toll-Free: 1.800.255.7749 - Fax: 941.351.3442

