

# The Reasons are EASY TO GRASP

why more PROS prefer MAX2000 Aviation Snips.

- NARROWER GRIP OPENING accommodates large or small hands without sacrificing cutting length.
- PREWIER WAX2000 BLADES Same full cut Same Great Performance.
- WE CHANGED THE LATCH! Easy Access Won't Hang Up



# Nothing outcuts, outmaneuvers or outlasts MAX!

EASY-TO-SPOT, COLOR-CODED THERMOPLASTIC GRIPS permanently fitted

over full length steel handle shafts offer strength, comfort and sure handling.

**EXTRA-LONG-LIFE** compression spring.

AMBIDEXTROUS, ONE-HAND-OPERATION LATCH is accessible from top or side.

Handle to head linkage produces powerful compound leverage.



accommodates large or small hands without sacrificing cutting length.

# PERMANENT RIVETED HANDLES

will not loosen and latch will not hang up.

PREMIER HARDENED STEEL BLADES and generous cutting lengths are unchanged.

- PRECISION GROUND CUTTING EDGES ensure a minimal force cut and maximum service life.
- BLADE TIPS ARE GROUND TO A SHARP POINT to allow flush cuts into corners and access in low clearance areas or into small starter holes.
- SLEEK HEAD AND HANDLE STYLING offer superior material flow and maximum maneuverability.



A narrower grip opening accommodates large or small hands without sacrificing generous Max2000 cutting length.



An all-new, ambidextrous, one-handoperation metal latch is accessible from top or side and features an ingenious simple design that will not loosen or hang up with repetitive use.



A fast adjusting, long life pivot bolt, with nylon locking nut and pressure washer, holds desired adjustment even after repetitive use in heavy gauge metal.







Max2000 Left, Right, and Combination **Aviation Snips** feature alloy steel blades with serrated lower jaws for solid gripping power in sheet metals, vinyl plastics, layered metals and seams (including "S" cleats).

The Max2000 Double Cut Snip employs a

best-of-all-worlds close tolerance design for consistent performance. A curved cutting edge on the center jaw reduces cutting force required and large relief grinds on all jaws minimize drag. The double cut blades feed smoothly, cut cleanly without surface distortion, and easily navigate metal seams encountered in round metal duct and stove pipe. A self-starting point on



# **STANDARD**

Catalog	Grip	Cutting	Length of Cut	Tool Length	Net Weight	
Number	Color	Application	in. (mm)	in. (mm)	oz. (g)	
M2001		Cuts Left	1-3/8 (34.9)	10 (254)	14 (397)	
M2002	•	Cuts Right	1-3/8 (34.9)	10 (254)	14 (397)	_
M2003	<u> </u>	Cuts Straight, Left and Right	1-11/16 (42.9)	10 (254)	14 (397)	





# STRAIGHT DOUBLE CUT

center jaw makes short work of blind cuts. Catalog Grip Cutting Length of Cut Tool Length Net Weight Number Color Application in. (mm) in. (mm) oz. (g) M2004 Straight, Double Cut 1-3/8 (34.9) 10 (254) 16 (454)





The Max2000 Bulldog Snip features shorter blades with a serrated lower jaw for controlled notching and trimming out to the blade tip in layered sheet metals and metal seams.



# **BULLDOG**

Catalog	Grip	Cutting	Length of Cut	Tool Length	Net Weight
Number	Color	Application	in. (mm)	in. (mm)	oz. (g)
M2005		Notching and Trimming	1-1/16 (27.0)	10 (254)	13 (367)





Versatile Max2000 Offset Right and **Left Aviation Snips** feature a serrated upper jaw of hardened alloy steel and a forged steel lower jaw to produce a strong, sharply defined cutting edge for superior offset maneuverability and cutting performance.



# **OFFSET**

Catalog	Grip	Cutting	Length of Cut	Tool Length	Net Weight	
Number	Color	Application	in. (mm)	in. (mm)	oz. (g)	
M2006	•	Cuts sharp Left angles, Straight lines	1-1/4 (31.8)	10 (254)	16 (454)	
		and 5" (125 mm) diameter Circles.				
M2007	•	Cuts sharp Right angles, Straight lines	1-1/4 (31.8)	10 (254)	16 (454)	
		and 5" (125 mm) diameter Circles				

#### **CAPACITIES**

Material	Aluminum	Copper	Galvanized Steel 22-GAUGE	Mild Steel 22-GAUGE	Stainless Steel 20-GAUGE	
Inches (mm)	.040 (1.02)	.034 (0.86)	.034 (0.86)	.030 (0.76)	N/A	
All other Max2000 Snips						
Material	Aluminum	Copper	Galvanized Steel 18-GAUGE	Mild Steel 18-GAUGE	Stainless Steel 20-GAUGE	
Inches (mm)	.062 (1.57)	.054 (1.37)	.054 (1.37)	.048 (1.22)	.038 (0.97)	

### REPLACEMENT SPRING

M2000S - Fits all Max2000 Snips in this catalog.



Professional Max2000 Hand Tools within your grasp at www.malcotools.com

